


• **VW Golf VII 2013->**

Compatible with these Double-DIN devices:

**Double-DIN Navigation**



**Double DIN Set contents**

- (1) Facia Plate
- (2) Cover
- (3) Housing
- (4) Mounting Bracket Right
- (5) Mounting Bracket Left
- (6) Flat Headed Screw
- (7) Self Tapping Screw with Collar

NOTE: ALTHOUGH IMAGES SHOW DISASSEMBLY AND FITTING TO A LHD CAR, THE PROCESS AND POSITION OF CLIPS AND SCREWS ARE BROADLY SIMILAR FOR THE RHD PART



Unclip and remove panel  
under OEM head unit




Unclip OEM head unit panel



Unclip air vents (specail VW tool  
may be required)

Remove OEM head unit panel  
by pulling it toward your direction




Insert radio release keys  
Remove OEM head unit




Notes:

Notes:




Several plastic parts must be cut and removed in order to clear space for 2-DIN head unit

Cut plastic (see arrows) and remove it



Cut plastic bridge underneath removed plastic (see arrows)







Dashboard after plastic has been cut away

Mount mounting brackets to  
double DIN head unit

## pre-assembly Unit and Brackets

Unit front surface



Remove air vent unit from  
OEM panel

Mount air vent unit to  
double DIN head unit

Connect all required circuit  
points. Mount double DIN  
head unit to dashboard.  
Place facia plate. Reinstall  
everything in reverse order  
to finish installation

